

Some examples of lightning related research in atmospheric science by the Italian community

Stefano Dietrich

Institute of Atmospheric Sciences and Climate (ISAC), CNR (Roma)

With contributions from:

M. Buiat, F. Porcù, *University of Ferrara*

F. Di Paola, F. Romano, *CNR-IMAA (Tito Scalo – PZ)*

S. Federico, *CNR-ISAC (Lamezia Terme – CZ)*

V. Levizzani, E. Cattani, S. Laviola, *CNR-ISAC (Bologna)*

B.M. Dinelli, E. Castelli, E. Arnone, *CNR-ISAC (Bologna)*

M. Carlotti, E. Papandrea, M. Ridolfi, M. Prevedelli, *University of Bologna*

A. Mugnai, D. Casella, M. Formenton, G. Panegrossi, P. Sanò, *CNR-ISAC (Roma)*

Lightning has charmed and provoked scientists for as long as they have watched the skies, but only recently, mainly due to the success of the Lightning Imaging Sensor (LIS) onboard the Tropical Rainfall Measuring Mission (TRMM - <http://trmm.gsfc.nasa.gov>), its study has been officially integrated with satellite-based remotely sensed atmospheric measurements and with cloud modeling research. LIS has provided (and is still providing) a unique amount of high quality optical lightning data over tropics (Adamo et al., 2007), while the establishment of new regional and global lightning networks, with improved location accuracy and detection efficiency, has further augmented the utilization of lightning data in many meteo-climatic studies even at mid-latitudes. Some examples are briefly reported here.

Precipitation retrieval techniques from passive microwave sensors (i.e. Panegrossi et al., 1998, Tripoli et al., 2007) have recently started to explore the correlation between lightning and convection to constrain the selection of candidate profiles in Cloud Dynamics and Radiation Database (CDRD) algorithms. (Sanò et al., 2012)

Real time techniques aiming at the precipitation nowcasting infer the development (movement, morphology, and intensity) of convective rain cells from the spatial and temporal distribution of lightning strokes (Dietrich et al., 2011). They are based on the cooperation between microwave multi-frequency brightness temperature data and lightning occurrences. These techniques have been successfully applied to study Mediterranean severe storms in the frame of EU FLASH project (Price et al., 2011)

Satellite-based multisensor studies (Buiat, 2011) of cloud electrical properties related to microphysical structure are nowadays possible at mid-latitudes by using Cloud Profiling Radar (CPR) on Cloudsat (<http://cloudsat.atmos.colostate.edu/>). Great advances are expected after the launch (2014) of the Global Precipitation Measurement (GPM - <http://science.nasa.gov/missions/gpm/>) satellite mission (thanks to the presence of the first

spaceborne dual frequency radar) when better insights into microphysical structures of mid-latitudes storms will be available.

Cloud electrification models, such as the 1D Explicit Microphysics Thunderstorm Model (Solomon et al., 2005), allow to carry out sensitivity studies of electrical activity and microphysics structure within the convective cloud. In these models explicit microphysics is required in order to include a charge transfer mechanism that is dependent on particle size (Formenton et al., 2012).

Non-hydrostatic regional atmospheric modeling system used to make operational weather forecasts, such as the Calabria Regional Atmospheric Modeling System (CRAMS) (Federico et al., 2011), have begun to test and include methodologies for providing lightning forecasting based on simulated microphysics (i.e. Dahl et al., 2011).

Finally, studies about the impact of lightning and transient luminous events on NO_x production (Arnone et al., 2008) benefit from the improvement in lightning monitoring.

All these applications demonstrate the growing interest of the Italian atmospheric science community in cloud electrification and its applications to atmospheric science.

References

- Adamo C., R. Solomon, C. M. Medaglia, S. Dietrich, A. Mugnai, 2007: Cloud Microphysical Properties from the Remote Sensing of Lightning within the Mediterranean. Measuring precipitation from space: EURAINSAT and the future, V. Levizzani / P. Bauer / J. Turk Ed., Springer Netherlands, pp. 127-134
- Arnone, E., A. Kero, B. M. Dinelli, C.-F. Enell, N. F. Arnold, E. Papandrea, C. J. Rodger, M. Carlotti, M. Ridolfi, and E. Turunen (2008), Seeking sprite-induced signatures in remotely sensed middle atmosphere NO₂, *Geophys. Res. Lett.*, 35, L05807, doi:10.1029/2007GL031791
- Buiat M., Analisi di fulminazione da rete a terra: aspetti microfisici e climatologici, Tesi di Laurea specialistica in Fisica, 2011, Università di Ferrara, 109 pp.
- Casella, D., S. Dietrich, F. Di Paola, M. Formenton, A. Mugnai, F. Porcù, and P. Sanò, PM-GCD - A combined IR–MW satellite technique for frequent retrieval of heavy precipitation, *Nat. Hazards Earth Syst. Sci.*, 12, 231-240, 2012
- Dahl, J.M.L., Holler, H., Schumann, U., Modeling the Flash Rate of Thunderstorms. Part I: Framework, *Montly Weather Review*, 139, 10, 3093-3111 DOI: 10.1175/MWR-D-10-05031.1
- Dahl, J.M.L., Holler, H., Schumann, U., Modeling the Flash Rate of Thunderstorms. Part II: Implementation, *Montly Weather Review*, 139, 10, 3112-3124 DOI: 10.1175/MWR-D-10-05032.1
- Dietrich, S., Casella, D., Di Paola, F., Formenton, M., Mugnai, A., and Sanò, P.: Lightning-based propagation of convective rain fields, *Nat. Hazards Earth Syst. Sci.*, 11, 1571-1581, doi:10.5194/nhess-11-1571-2011, 2011

- Federico, S.: Verification of surface minimum, mean, and maximum temperature forecasts in Calabria for summer 2008, *Nat. Hazards Earth Syst. Sci.*, 11, 487-500, doi:10.5194/nhess-11-487-2011, 2011
- Formenton, M., D. Casella, S. Dietrich, F. Di Paola, A. Mugnai, G. Panegrossi, P. Sanò, H.-D. Betz, C. Price, and Y. Yair, Using a cloud electrification model to study relationships between lightning activity and cloud microphysical structure, submitted to *Atmospheric Research* 2012.
- Mugnai, A., E. A. Smith, G. J. Tripoli, S. Dietrich, V. Kotroni, K. Lagouvardos and C. M. Medaglia: Explaining discrepancies in passive microwave cloud-radiation databases in microphysical context from two different cloud-resolving models. *Meteorology and Atmospheric Physics*, 101, 3-4, 127-145, 2008.
- Panegrossi, G., S. Dietrich, F.S. Marzano, A. Mugnai, E.A. Smith, X. Xiang, J. Tripoli, P.K. Wang and J.P.V. Poyares Baptista: Use of cloud model Microphysics for passive microwave-based precipitation retrieval: significance of consistency between model and measurement manifolds; *J.Atmos.Sci.*, 55, 1644-1673, 1998.
- Price, C., Y. Yair, A. Mugnai, K. Lagouvardos, M. C. Llasat, S. Michaelides, U. Dayan, S. Dietrich, F. Di Paola, E. Galanti, L. Garrote, N. Harats, D. Katsanos, M. Kohn, V. Kotroni, M. Llasat-Botija, B. Lynn, L. Mediero, E. Morin , K. Nicolaides, S. Rozalis, K. Savvidou, B. Ziv, Using lightning data to better understand and predict flash floods in the Mediterranean, *Surv Geophys* 32:733-751, DOI 10.1007/ss10712-011-9146-y, (2011)
- Sanò, P., D. Casella, A. Mugnai, G. Schiavon, E.A. Smith, G. Tripoli, Transitioning from CRD to CDRD in Bayesian Retrieval of Rainfall from Satellite Passive Microwave Measurements: Part 1. Algorithm Description and Testing, Submitted to *IEEE Trans. Geosci. Rem. Sens.*, 2012
- Solomon, R., C. M. Medaglia, C. Adamo, S. Dietrich, A Mugnai and U. Biader Ceipidor: An explicit microphysics thunderstorm model. *Int. J. of Modelling and Sim.*, vol 25, No. 2, 112-118 2005
- Tripoli, G.J., Medaglia C. M., G. Panegrossi, S. Dietrich, A. Mugnai, E. A. Smith, 2007: Modeling Microphysical Signatures of Extreme Events in the Western Mediterranean to Provide a Basis for Diagnosing Precipitation from Space. Measuring precipitation from space: EURAINSAT and the future, V. Levizzani / P. Bauer / J. Turk Ed., Springer Netherlands, pp. 535-547.